IITP/TH-19/16
ITEP/TH-28/16

Quantum Racah matrices and 3-strand braids in representation $[3,3]$

Sh.Shakirov[a,c*] and **A.Sleptsov**[b,c,d,e†]

[a] *Society of Fellows, Harvard University, Cambridge, MA 20138, USA*
[b] *ITEP, Moscow 117218, Russia*
[c] *Institute for Information Transmission Problems, Moscow 127994, Russia*
[d] *National Research Nuclear University MEPhI, Moscow 115409, Russia*
[e] *Laboratory of Quantum Topology, Chelyabinsk State University, Chelyabinsk 454001, Russia*

arXiv:1611.03797v2 [hep-th] 21 Jan 2017

Abstract

This paper is a next step in the project of systematic description of colored knot polynomials started in [**1**]. In this paper, we managed to explicitly find the *inclusive* Racah matrices, i.e. the whole set of mixing matrices in channels $R^{\otimes 3} \longrightarrow Q$ with all possible Q, for $R = [3,3]$. The case $R = [3,3]$ is a multiplicity free case as well as $R = [2,2]$ obtained in [**21**]. The calculation is made possible by the use of highest weight method with the help of Gelfand-Tseitlin tables. The result allows one to evaluate and investigate $[3,3]$-colored polynomials for arbitrary 3-strand knots, and this confirms many previous conjectures on various factorizations, universality, and differential expansions. With the help of a method developed in [**22**] we manage to calculate *exclusive* Racah matrices S and $\bar{S}$ in $R = [3,3]$. Our results confirm a calculation of these matrices in [**2**], which was based on the conjecture of explicit form of differential expansion for twist knots. Explicit answers for Racah matrices and $[3,3]$-colored polynomials for 3-strand knots up to 10 crossings are available at [**26**].

1 Introduction

One of the central approaches in modern knot theory is the study of quantum invariants of knots and links. This approach originated in late 1980's from two complementary perspectives: first, Wilson loop observables in Chern-Simons quantum field theory [**6**]; second, intertwiners in representation theory of quantum groups [**11**]. Both approaches turned out to provide the same answer, associating to a knot K a polynomial

$$K \quad \mapsto \quad H_R^{(K)}(q,a)$$

in two variables (q,a), called colored HOMFLY-PT knot polynomial. Among other things, this polynomial depends on a choice of color, i.e. a finite-dimensional representation R of $SU(N)$ (it is possible to consider other Lie groups, but we focus our attention on the unitary case) where $a = q^N$. If K is a link, then the HOMFLY-PT polynomial depends on several colors, associated to each connected component of the link.

The color dependence of knot or link polynomials turned out to be quite intricate. For simplest knots and links this dependence can be entirely tamed – a celebrated example is the case of the double Hopf link, which consists of 3 linked unknots and gives rise to the topological vertex C_{R_1,R_2,R_3} [**3**] one of the main technical tools of topological string theory on toric Calabi-Yau 3-folds. However, as soon as the knot or link becomes topologically non-trivial, complexity of the answer increases significantly. One may argue that such colored knot polynomials provide a topologically non-trivial generalization of WZW and Liouville conformal blocks [**4**] and their color dependence should therefore be carefully studied. While only at its beginning, this study already revealed several interesting structures, such as traces of hidden integrability [**28**] and the eigenvalue conjecture [**23**]. As the available data continues to grow, one may expect many more structures to come to light.

While both the Chern-Simons path integral and quantum group representation theory allow *in principle* to compute any desired colored knot polynomial, in practice representations as small as $[2,1]$ or $[3,1]$ have been out of reach until very recently. Inevitably, regardless of the approach one takes, one ends up with the necessity to deal with the so-called q-6j symbols, also known as quantum Racah-Wigner matrices

*shakirov@fas.harvard.edu
†sleptsov@itep.ru

$$U^{R_4}_{R_1,R_2,R_3}: \quad \Big\{(R_1\otimes R_2)\otimes R_3 \longrightarrow R_4\Big\} \quad \longrightarrow \quad \Big\{R_1\otimes (R_2\otimes R_3) \longrightarrow R_4\Big\} \tag{1}$$

or, graphically,



The l.h.s. and r.h.s. represent two different bases in the space of intertwiners (invariant tensors of the quantum group) $R_1\otimes R_2\otimes R_3 \longrightarrow R_4$. Each basis is a collection of finitely many vectors, labeled by the choice of color in the internal channel (X and Y in the picture above) and the choice of intertwiner in each of the four trivalent vertices (white circles in the picture above). Racah matrix represents the change of basis from l.h.s. to r.h.s.

Depending on which problem in knot theory one addresses, one may need different types of Racah matrices. While in the original Reshetikhin-Turaev formalism one required all of them, some simplifications can be achieved by using its modern modifications [**7, 10, 9**]. In the course of this project we are particularly interested in the following two classes of Racah matrices,

$$\text{inclusive}: \quad \mathcal{U}_Q \quad \text{with} \quad R_1=R_2=R_3=R, \qquad R_4=Q\in R^{\otimes 3} \tag{2}$$

and

$$\begin{aligned}\text{exclusive}: \quad & S \quad \text{with} \quad R_1=R_2=R_4=R, \qquad R_3=\bar{R}\\ & \bar{S} \quad \text{with} \quad R_1=R_3=R_4=R, \qquad R_2=\bar{R}\end{aligned} \tag{3}$$

These two classes of Racah matrices allow to compute the HOMFLY-PT polynomials for two large classes of knots. The inclusive (the term refers to arbitrariness of the final representation $Q\in R^{\otimes 3}$) matrices $\mathcal{U}_Q$ allow to compute the R-colored HOMFLY polynomials for arbitrary 3-strand braids $\mathcal{L}=(m_1,n_1|m_2,n_2|\ldots)$ via [**8**],

$$H_R^{(m_1,n_1|m_2,n_2|\ldots)}(A,q)=\sum_{Q\in R^{\otimes 3}}\frac{d_Q}{d_R}\cdot \mathrm{Tr}_Q\Big(\mathcal{R}_Q^{m_1}\mathcal{U}_Q\mathcal{R}_Q^{n_1}\mathcal{U}_Q{}^{\dagger}\mathcal{R}_Q^{m_2}\mathcal{U}_Q\mathcal{R}_Q^{n_2}\mathcal{U}_Q{}^{\dagger}\ldots\Big) \tag{4}$$

where d_R is the quantum dimension of representation R for the Lie algebra sl_N, expressed through the variable $A=q^N$, and $\mathcal{R}_Q$ is a diagonal matrix with the entries

$$\lambda_Y=\epsilon_Y q^{\varkappa_Y}, \quad Y\in R^{\otimes 2} \tag{5}$$

where $\varkappa_Y=\sum_{(i,j)\in Y}(i-j)$ is the value of Casimir operator in the representation Y, while $\epsilon_Y=\pm 1$ depending on whether Y belongs to the symmetric or antisymmetric square of R. For other simple Lie algebras similar formulas exist, see [**13**] for a short survey.

The exclusive matrices S and $\bar{S}$, where only R is picked up in the "final state" of the product $R\otimes R\otimes\bar{R}$, define [**14, 15**] the building blocks ("fingers") which allow to compute the R-colored HOMFLY for arbitrary arborescent (double-fat) knots [**5, 16**] $\mathcal{K}=\{F^{I,k_I}\}$:

$$H_R^{\{F_I\}}=\sum_{X_I\in R\otimes R \text{ or } R\otimes\bar{R}}\prod_{I,J}P_{X_I,X_J}\prod_{k_I}F_{X_I}^{\{I,k_I\}} \tag{6}$$

where the propagators $P_{X'X''}$ connecting the vertices I are just the matrices $S_{\bar{X}'X''}$ or $\bar{S}_{\bar{X}'\bar{X}''}$ (bars refer to the antiparallel rather than parallel double lines, the two parallel vertices never being connected), while the fingers attached to the vertices are arbitrary matrix elements of the type

$$F_X = \left(\ldots S\bar{\mathcal{R}}^{l_3} S\mathcal{R}^{l_2} S^\dagger \bar{\mathcal{R}}^{l_1} \bar{S} \right)_{\emptyset X} \tag{7}$$

Despite limited, these two classes of knots are quite rich and already quite informative: in particular, the second class contains non-trivial pairs of mutants. Computation of inclusive and exclusive Racah matrices can shed much light on the properties of these two classes of knots.

This paper represents yet another small step in this direction: we compute the inclusive and exclusive Racah matrices for $R = [3,3]$ using the highest weight method of [**8**]. Starting from 6 boxes, the method of [**8**] becomes increasingly complex; we cure this problem by passing from the earlier used tensor product bases to the Gelfand-Tsetlin basis [**12**] for representations of quantum groups. This basis is distinguished from many perspectives – practically, all computations become significantly faster – and in our opinion deserves a separate publication to discuss. In this paper we do not expand on this topic, instead concentrating on results and applications in the particular case of $R = [3,3]$, which is an important special case and closes a number of open questions.

2 Results for Racah matrices

The best way to calculate inclusive quantum 6-j symbols is the highest weight method of [**8**]. With the help of this method iclusive Racah matrices were calculated for symmetric (and antisymmetric) representations $R = [r]$ (and $R = [1^r]$) up to level 5 in [**23**], for $R = [2,1]$ in [**19**], for $R = [3,1]$ in [**20**] and for $R = [2,2]$ in [**21**]. The method is straightforward but very tedious, especially for such representations R which have multiplicities $R = [2,1]$ and $R = [3,1]$.

Exclusive quantum Racah matrices S and $\bar{S}$ are known for symmetric (and antisymmetric) representations $R = [r]$ (and $R = [1^r]$) [**17, 18**]. Their general form was guessed after considering explicit formulas for several low levels. Actually, they look like a straightforward quantization and extension of the classical formulas cited in [**24**]. The only available at the moment non-rectangular diagram $R = [2,1]$ was calculated in [**25**] by solving pentagon relations and additional specific symmetries of the representation $R = [2,1]$. The last available case $R = [2,2]$ (non-symmetric, but rectangular i.e. without multiplicities) was calculated in [**22**] with the help of a trick described in Section 3. The problem of exclusive Racah matrices is that there is no good calculating method, all results were obtained by different methods, which actually are not working smoothly in other cases. The problem of the highest weight method is because conjugate representations depend on N and thus the Racah matrices depend on N, hence, one needs to calculate matrices for various N and reconstruct dependence on N from a collection of the answers. A complexity of calculations grows very fast while N increases.

2.1 Specification to the case of $R = [3,3]$

This case is relatively simple, because it does not contain multiplicities, the number of matrices not so big and their sizes are rather small, still this is a new piece of knowledge.

Decomposition of the square

$$[3,3] \otimes [3,3] = [6,6] \oplus [6,5,1] \oplus [6,4,2] \oplus [6,3,3] \oplus [5,5,1,1] \oplus [5,4,2,1] \oplus [5,3,3,1] \oplus [4,4,2,2] \oplus [4,3,3,2] \oplus [3,3,3,3] \tag{8}$$

contains ten irreducible representations.

The maximal size of the Racah mixing matrices will be 12×12. All representations come with no multiplicities, but not all $\mathcal{R}$-matrix are different in contrast to $[2,2]$ case. For example, $\mathcal{R}$-matrices of $[8,5,2,2,1]$ and $[8,4,4,1,1]$ are difened by same intermediate diagrams $[6,4,2]$ and $[5,4,2,1]$. Another fact is that all eigenvalues of $\mathcal{R}$-matrices are different (there are no accidental coincidences, which are often encountered for non-rectangular representations R). These facts give a chance that the mixing matrices can be defined from eigenvalue hypothesis [**23**], which provides explicit expressions for the entries of Racah matrices through eigenvalues of the $\mathcal{R}$-matrices (they are given in [**23**] for sizes up to 5 and size 6 was later described in [**13**]).

Representation content of the cube is

$$
\begin{aligned}
[3,3]\otimes\Big([3,3]\otimes[3,3]\Big) &= [9,9]+[6,6,6]+2[7,6,5]+[7,7,4]+[8,5,5]+3[8,6,4]+2[8,7,3]+[8,8,2]+2[9,5,4]+4[9,6,3]+\\
&+ 3[9,7,2]+2[9,8,1]+3[5,5,4,4]+[5,5,5,3]+[6,4,4,4]+8[6,5,4,3]+3[6,5,5,2]+10[6,6,3,3]+\\
&+ 6[6,6,4,2]+3[6,6,5,1]+3[7,4,4,3]+6[7,5,3,3]+9[7,5,4,2]+3[7,5,5,1]+12[7,6,3,2]+\\
&+ 6[7,6,4,1]+6[7,7,2,2]+3[7,7,3,1]+3[8,4,3,3]+3[8,4,4,2]+6[8,5,3,2]+6[8,5,4,1]+\\
&+ 3[8,6,2,2]+9[8,6,3,1]+6[8,7,2,1]+3[8,8,1,1]+[9,3,3,3]+2[9,4,3,2]+[9,4,4,1]+\\
&+ [9,5,2,2]+3[9,5,3,1]+2[9,6,2,1]+[9,7,1,1]+2[5,4,3,3,3]+4[5,4,4,3,2]+2[5,4,4,4,1]+\\
&+ 3[5,5,3,3,2]+3[5,5,4,2,2]+6[5,5,4,3,1]+2[5,5,5,2,1]+4[6,3,3,3,3]+9[6,4,3,3,2]+\\
&+ 5[6,4,4,2,2]+6[6,4,4,3,1]+6[6,5,3,2,2]+12[6,5,3,3,1]+10[6,5,4,2,1]+3[6,5,5,1,1]+\\
&+ [6,6,2,2,2]+8[6,6,3,2,1]+3[6,6,4,1,1]+3[7,3,3,3,2]+6[7,4,3,2,2]+6[7,4,3,3,1]+\\
&+ 6[7,4,4,2,1]+3[7,5,2,2,2]+12[7,5,3,2,1]+6[7,5,4,1,1]+6[7,6,2,2,1]+6[7,6,3,1,1]+\\
&+ 3[7,7,2,1,1]+2[8,3,3,3,1]+4[8,4,3,2,1]+2[8,4,4,1,1]+2[8,5,2,2,1]+6[8,5,3,1,1]+\\
&+ 4[8,6,2,1,1]+2[8,7,1,1,1]+[3,3,3,3,3,3]+2[4,3,3,3,3,2]+3[4,4,3,3,2,2]+[4,4,3,3,3,1]+\\
&+ [4,4,4,2,2,2]+2[4,4,4,3,2,1]+[4,4,4,4,1,1]+[5,3,3,3,2,2]+3[5,3,3,3,3,1]+2[5,4,3,2,2,2]+\\
&+ 6[5,4,3,3,2,1]+3[5,4,4,2,2,1]+3[5,4,4,3,1,1]+[5,5,2,2,2,2]+3[5,5,3,2,2,1]+6[5,5,3,3,1,1]+\\
&+ 3[5,5,4,2,1,1]+[5,5,5,1,1,1]+2[6,3,3,3,2,1]+4[6,4,3,2,2,1]+3[6,4,3,3,1,1]+3[6,4,4,2,1,1]+\\
&+ 2[6,5,2,2,2,1]+6[6,5,3,2,1,1]+2[6,5,4,1,1,1]+3[6,6,2,2,1,1]+[6,6,3,1,1,1]+[7,3,3,3,1,1]+\\
&+ 2[7,4,3,2,1,1]+[7,4,4,1,1,1]+[7,5,2,2,1,1]+3[7,5,3,1,1,1]+2[7,6,2,1,1,1]+[7,7,1,1,1,1]
\end{aligned}
$$

and the inclusive Racah matrices form the collection

matrix size	Q	number of matrices
1	[9, 9], [9, 7, 1, 1], [9, 5, 2, 2], [9, 4, 4, 1], [9, 3, 3, 3], [8, 8, 2], [8, 5, 5], [7, 7, 4], [7, 7, 1, 1, 1, 1], [7, 5, 2, 2, 1, 1], [7, 4, 4, 1, 1, 1], [7, 3, 3, 3, 1, 1], [6, 6, 6], [6, 4, 4, 4], [6, 6, 2, 2, 2], [6, 6, 3, 1, 1, 1], [5, 5, 5, 3], [5, 5, 5, 1, 1, 1], [5, 5, 2, 2, 2, 2], [5, 3, 3, 3, 2, 2], [4, 4, 4, 4, 1, 1], [4, 4, 4, 2, 2, 2], [4, 4, 3, 3, 3, 1], [3, 3, 3, 3, 3, 3]	24
2	[9, 8, 1], [9, 5, 4], [9, 6, 2, 1], [9, 4, 3, 2], [8, 7, 3], [8, 7, 1, 1, 1], [8, 5, 2, 2, 1], [8, 4, 4, 1, 1], [8, 3, 3, 3, 1], [7, 6, 5], [7, 6, 2, 1, 1, 1], [7, 4, 3, 2, 1, 1], [6, 5, 4, 1, 1, 1], [6, 5, 2, 2, 2, 1], [6, 3, 3, 3, 2, 1], [5, 5, 5, 2, 1], [5, 4, 4, 4, 1], [5, 4, 3, 3, 3], [5, 4, 3, 2, 2, 2], [4, 4, 4, 3, 2, 1], [4, 3, 3, 3, 3, 2]	21
3	[9, 7, 2], [9, 5, 3, 1], [8, 6, 4], [8, 8, 1, 1], [8, 6, 2, 2], [8, 4, 4, 2], [8, 4, 3, 3], [7, 7, 3, 1], [7, 5, 5, 1], [7, 4, 4, 3], [7, 7, 2, 1, 1], [7, 5, 2, 2, 2], [7, 3, 3, 3, 2], [7, 5, 3, 1, 1, 1], [6, 6, 5, 1], [6, 5, 5, 2], [6, 6, 4, 1, 1], [6, 5, 5, 1, 1], [6, 6, 2, 2, 1, 1], [6, 4, 4, 2, 1, 1], [6, 4, 3, 3, 1, 1], [5, 5, 4, 4], [5, 5, 4, 2, 2], [5, 5, 3, 3, 2], [5, 5, 4, 2, 1, 1], [5, 5, 3, 2, 2, 1], [5, 4, 4, 3, 1, 1], [5, 4, 4, 2, 2, 1], [5, 3, 3, 3, 3, 1], [4, 4, 3, 3, 2, 2]	30
4	[9, 6, 3], [8, 6, 2, 1, 1], [8, 4, 3, 2, 1], [6, 3, 3, 3, 3], [6, 4, 3, 2, 2, 1], [5, 4, 4, 3, 2]	6
5	[6, 4, 4, 2, 2]	1
6	[8, 7, 2, 1], [8, 5, 4, 1], [8, 5, 3, 2], [8, 5, 3, 1, 1], [7, 7, 2, 2], [7, 6, 4, 1], [7, 5, 3, 3], [7, 6, 3, 1, 1], [7, 6, 2, 2, 1], [7, 5, 4, 1, 1], [7, 4, 4, 2, 1], [7, 4, 3, 3, 1], [7, 4, 3, 2, 2], [6, 6, 4, 2], [6, 5, 3, 2, 2], [6, 4, 4, 3, 1], [6, 5, 3, 2, 1, 1], [5, 5, 4, 3, 1], [5, 5, 3, 3, 1, 1], [5, 4, 3, 3, 2, 1]	20
7	–	0
8	[6, 5, 4, 3], [6, 6, 3, 2, 1]	2
9	[8, 6, 3, 1], [7, 5, 4, 2], [6, 4, 3, 3, 2]	3
10	[6, 6, 3, 3], [6, 5, 4, 2, 1]	2
11	–	0
12	[7, 6, 3, 2], [7, 5, 3, 2, 1], [6, 5, 3, 3, 1]	3

All matrices were calculated with the help of the highest weight method using Gelfand-Tseitlin basis. Results are available online at [**26**]. All matrices of size up to four are nicely handled by the eigenvalue hypothesis, but we checked them by the direct calculations. Here we list one Racah matrix for $Q = [7,6,3,2]$ as an illustration (factors u_i^j are listed explicitly in Appendix A below).

3 Exclusive matrices from inclusive ones

In the paper [**22**] it was described a method for multiplicity free cases only how to calculate exclusive quantum Racah matrices S and $\bar{S}$ if inclusive matrices are known. Since $R = [3,3]$ is exactly the case, then we can directly apply that method to our matrices.

The idea is based on the fact that there is a two-parametric family, which is simultaneously 3-strand braid $(m, -1|\pm n, -1)$ and pretzel $Pr(m, n, \pm\bar{2})$. From one hand, for this 3-strand braid family formula (4) reduces to

$$H_R^{(m,-1|\pm n,-1)} = \sum_{Y,Z\in R^{\otimes 2}} h_{YZ}\cdot\lambda_Y^m\lambda_Z^n \tag{9}$$

which is the usual evolution formula and where λ_Y is the eigenvalue (5). From another hand, for this pretzel family formula (6) simplifies to:

$$H_R^{Pr(m,n,\overline{\pm 2})} = d_R\sum_{\bar{X}\in R\otimes\bar{R}}\frac{(ST^mS^\dagger)_{\emptyset\bar{X}}(ST^nS^\dagger)_{\emptyset\bar{X}}(\bar{S}\bar{T}^{\pm 2}\bar{S})_{\emptyset\bar{X}}}{S_{\emptyset\bar{X}}} = d_R^{-1}\sum_{\substack{\bar{X}\in R\otimes\bar{R}\\ Y,Z\in R\otimes R}}\sqrt{d_Yd_Z}K_{\bar{X}}S_{\bar{X}Y}S_{\bar{X}Z}\cdot\lambda_Y^m\lambda_Z^n \tag{10}$$

where the square $S_{\emptyset Y}^2 = d_Y/d_R^2$ and $K_{\bar{X}} = d_Rd_X^{-1/2}(\bar{S}\bar{T}^{\pm 2}\bar{S})_{\emptyset\bar{X}}$. The pretzel formula (10) should be compared with the answer (9). It gives:

$$\sum_X K_{\bar{X}}S_{\bar{X}Y}S_{\bar{X}Z} = \frac{d_R}{\sqrt{d_Yd_Z}}\cdot h_{YZ} = \mathfrak{h}_{YZ} \tag{11}$$

i.e. $F_{\bar{X}}$ are the eigenvalues of the matrix $\mathfrak{h}$ at the r.h.s., while our needed $S_{\bar{X}Y}$ is the orthogonal diagonalizing matrix (made from the normalized eigenvectors). It provides the explicit way to calculate S. Then we can extract $\bar{S}$ just from the known S using relation (63) from [**14**]:

$$\bar{S} = \bar{T}^{-1}ST^{-1}S^\dagger\bar{T}^{-1} \tag{12}$$

Our calculations of matrices S and $\bar{S}$ confirms formulas obtained by A.Morozov in the paper [**2**].

4 Examples of $[3,3]$-colored HOMFLY for knots, which are 3-strand but not arborescent

Using the manifest expressions for the inclusive Racah matrices, one can evaluate the HOMFLY polynomials of all 3-strand knots in representation $[3,3]$. The results for arborescent knots are in [**26**] due to results of [**2**], for different 3-strand knots can be found in [**26**], here, as an illustration, we write down the answers for two knots 10_{100} (in a table style) and 10_{161} (in a polynomial style) that are 3-strand and can not be presented by arborescent diagrams:



Figure 1: Knots 10_{100} and 10_{161} from the Katlas [**27**]

Knot 10_{100} :

$q\backslash A$	A^{12}	A^{14}	A^{16}	A^{18}	A^{20}	A^{22}	A^{24}	A^{26}	A^{28}	A^{30}	A^{32}	A^{34}	A^{36}
−108	0	0	0	0	0	−1	1	0	0	0	0	0	0
−106	0	0	0	0	2	0	−2	0	0	0	0	0	0
−104	0	0	0	−1	−1	5	−2	−1	0	0	0	0	0
−102	0	0	0	−2	−7	3	6	0	0	0	0	0	0
−100	0	0	2	6	−8	−13	8	5	0	0	0	0	0
−98	0	0	−1	14	18	−26	−10	3	2	0	0	0	0
−96	0	−1	−7	−6	50	18	−38	−14	−1	0	0	0	0
−94	0	0	−10	−50	−4	90	7	−26	−7	0	0	0	0
−92	0	5	14	−52	−128	37	108	20	−7	−1	0	0	0
−90	1	6	55	81	−150	−183	71	94	19	−2	0	0	0
−88	−2	−9	24	224	153	−292	−184	34	48	6	0	0	0
−86	−3	−35	−102	77	526	130	−365	−195	−11	13	0	0	0
−84	3	−15	−207	−410	245	775	88	−295	−132	−8	2	0	0
−82	11	71	−5	−684	−797	530	878	154	−133	−49	−1	0	0
−80	8	123	453	61	−1441	−1015	696	805	184	−40	−7	0	0
−78	−26	−10	548	1408	−5	−2192	−1030	500	522	95	−8	0	0
−76	−37	−282	−219	1519	2732	−367	−2494	−1105	155	209	16	−1	0
−74	8	−299	−1345	−850	3054	3654	−542	−2205	−901	12	50	0	0
−72	82	186	−1101	−3743	−1389	4565	4052	−179	−1361	−457	6	5	0
−70	82	755	1104	−2702	−6887	−1524	5248	3893	324	−582	−115	5	0
−68	−75	516	3115	3173	−5065	−9570	−1498	4422	2966	313	−169	−11	0
−66	−198	−717	1689	7889	5707	−7632	−10646	−2159	2637	1519	82	−32	1
−64	−103	−1590	−3181	3581	14265	7248	−8482	−10017	−2379	1118	486	−2	−2
−62	216	−595	−5921	−8349	6613	19672	8333	−6909	−7305	−1588	375	83	−3
−60	386	1786	−1594	−14201	−14562	9523	22263	8938	−3721	−3891	−531	98	4
−58	44	2714	6999	−3033	−24753	−19828	10562	20355	8097	−1465	−1396	−78	11
−56	−470	209	9581	16991	−5053	−34559	−22683	7431	14738	5015	−536	−314	4
−54	−560	−3517	74	21684	29662	−7720	−38581	−23416	3103	7958	1953	−180	−32
−52	119	−3818	−12632	−952	37605	40340	−7184	−35296	−19569	518	3114	421	−33
−50	846	885	−12847	−29533	−1485	51537	47263	−2882	−25030	−12198	155	809	33
−48	620	5721	3648	−28625	−50191	−2206	58300	47015	2458	−13816	−5108	123	100
−46	−423	4344	19688	8994	−48381	−69694	−4661	51984	38762	3530	−5689	−1322	50
−44	−1206	−2842	14436	43985	15508	−67257	−80760	−11413	36961	24129	1865	−1618	−158
−42	−540	−7881	−9599	31546	74801	20877	−74691	−80645	−15445	20216	10728	434	−232
−40	895	−3901	−26156	−21813	53953	102763	28769	−66749	−65105	−13111	8668	3062	18
−38	1390	5416	−13036	−57593	−35632	74203	121056	36206	−45855	−41325	−6650	2562	415
−36	273	9188	17389	−28989	−96403	−49911	83363	118882	38455	−25066	−19014	−1998	417
−34	−1364	2226	30038	37032	−49719	−134233	−62360	71918	96887	29022	−10510	−5805	−269
−32	−1360	−7953	8304	65359	60633	−70254	−157152	−72805	48566	61497	15141	−3146	−864
−30	235	−9091	−24680	19432	109898	82886	−77057	−156109	−69312	24660	29375	4918	−513
−28	1595	470	−29687	−51387	35954	152984	103522	−65824	−125924	−51700	9810	9251	755
−26	1096	9529	−557	−64745	−82739	51642	181807	113317	−40054	−81468	−27120	2678	1485
−24	−806	7318	28957	−4749	−109410	−113888	57585	179495	106291	−18074	−39162	−9319	389
−22	−1564	−3388	24549	59685	−13547	−154685	−139416	44103	147012	77070	−5118	−12653	−1524
−20	−518	−9488	−7924	54599	95416	−23486	−184505	−152084	22693	94460	41669	−760	−2065
−18	1120	−4106	−28689	−11136	94217	131413	−24850	−185841	−138071	3300	46102	14571	0
−16	1304	5565	−15353	−58410	−10881	136018	161669	−14432	−150912	−101625	−3164	14841	2541
−14	−210	7643	13896	−36333	−93932	−7537	166506	173457	4960	−98743	−54777	−2826	2386
−12	−1155	453	23236	23271	−67070	−129533	−9218	168327	159792	14943	−47242	−19656	−678
−10	−703	−6175	4284	47863	28004	−100771	−160159	−19838	140854	115826	14945	−15138	−3501
−8	656	−4281	−15829	15413	76543	30778	−128190	−175659	−30233	89705	63823	7299	−2346
−6	1010	2616	−13883	−26391	33341	108183	34482	−135742	−159730	−35565	43198	22841	1645
−4	−89	5044	4481	−28739	−34245	58881	136953	40980	−112069	−119525	−25672	13002	4054
−2	−798	528	12883	3071	−48444	−37070	81730	151678	50800	−73594	−64698	−11892	1969
0	−530	−4079	2502	21733	−6282	−69554	−40804	90488	145516	46586	−32563	−23509	−2585
2	566	−2467	−9113	7462	26006	−21322	−93713	−48982	81011	106510	33550	−9274	−4071
4	784	2603	−6351	−12281	13561	28028	−40297	−113646	−51360	48833	59834	14483	−1135
6	−171	3703	6358	−8896	−10447	25571	30479	−55407	−109351	−51045	21122	21015	3074
8	−713	−550	8772	10760	−8525	58	43864	33924	−47752	−86938	−33327	4392	3714
10	−425	−4099	−2361	13285	13501	−4248	17228	61290	44883	−32217	−46545	−14951	150
12	585	−1826	−10674	−6503	12539	11602	−2257	28325	73474	39809	−9951	−16684	−2969
14	714	3061	−4415	−19530	−15116	4600	615	−11823	34545	55952	29844	−1168	−2789
16	−174	3743	9198	−5696	−28126	−25472	−8060	−24086	−17189	17410	32686	12468	459
18	−691	−673	10272	19086	−3040	−32224	−28222	−26231	−33097	−26867	6400	10671	2646
20	−402	−4220	−2412	19326	33379	4937	−21082	−25836	−22612	−35731	−18175	−780	1615
22	539	−2044	−11957	−6355	28929	46817	21311	−6737	−4284	−18428	−18017	−8745	−505
24	671	2780	−5916	−24534	−13140	32229	57240	27327	17957	1929	−3695	−6427	−1794
26	−101	3785	8315	−11617	−39692	−26295	29715	43424	34831	15514	7678	70	−756
28	−630	−216	11075	16417	−16644	−57260	−35891	6363	32826	18062	11867	3350	500
30	−401	−3801	−343	22087	28823	−20948	−60265	−50758	−2047	9304	9243	3052	696
32	413	−2287	−10760	−721	36871	40349	−10946	−60175	−39022	−13665	4084	1358	467
34	597	2048	−6920	−21811	−28	47825	57941	−5391	−33543	−31867	−6006	53	−35
36	−3	3471	5874	−14595	−34021	−4872	59041	54899	14229	−22051	−13059	−2458	131
38	−499	357	10251	10617	−22783	−50711	−5981	45286	55984	10085	−6702	−4556	−191
40	−364	−2943	1556	20244	17701	−33913	−56173	−21890	38439	32921	8980	−2584	−681
42	255	−2246	−8329	3488	33465	21604	−32364	−65849	−18289	16322	19260	2595	−343
44	458	1160	−6951	−16618	7588	42853	33659	−35586	−48289	−22020	9018	5979	379
46	53	2726	3073	−14724	−24829	7432	56145	30252	−17584	−37940	−10872	2281	1169
48	−327	716	8163	5013	−22772	−36407	12830	49020	36918	−13287	−17634	−4663	469
50	−270	−1865	2740	16264	8402	−33487	−37957	3475	47668	23594	−3474	−6705	−832
52	123	−1791	−5209	6194	26757	8597	−33790	−46073	6466	27988	15744	−1270	−1103
54	287	432	−5746	−10242	11545	33469	15285	−39578	−34322	−2204	16162	5522	−182
56	58	1731	756	−12424	−15152	13055	43053	9814	−26981	−28924	−960	5193	1135
58	−170	701	5212	348	−19562	−22693	18633	37090	14912	−21332	−14609	−1251	950
60	−155	−920	2697	10469	654	−28265	−22435	13037	36280	8524	−9256	−5829	−303
62	46	−1096	−2408	6333	17500	−716	−28576	−26671	15067	22458	7000	−3283	−1032
64	139	59	−3625	−4419	11576	22146	3017	−31896	−18285	6856	13183	2710	−519
66	30	840	−322	−8030	−6241	14033	28205	−978	−22715	−15570	3766	4488	634
68	−70	420	2519	−1700	−13011	−10155	18017	23603	2405	−17387	−8032	680	828
70	−59	−346	1711	4995	−2986	−18998	−9792	14201	21925	337	−8049	−3365	27
72	19	−472	−760	4205	8507	−4935	−19561	−11898	13993	13336	1677	−2810	−635
74	47	−12	−1636	−1110	7847	11035	−3330	−20712	−7211	7602	7702	855	−441
76	2	291	−369	−3761	−1211	10034	14325	−5106	−14623	−6239	3856	2667	260
78	−21	139	870	−1464	−6310	−2606	12422	11748	−2639	−10454	−3311	934	494
80	−9	−101	683	1675	−2691	−9502	−2319	10248	10294	−2260	−4797	−1481	87
82	7	−122	−153	1842	2966	−4141	−10036	−3282	9065	6030	−305	−1601	−295
84	7	3	−484	−49	3627	4018	−3691	−10225	−1436	4995	3404	116	−239
86	−3	61	−140	−1215	219	4884	5433	−4248	−7009	−1504	2300	1173	84
88	−2	18	199	−635	−2187	−133	5992	4315	−2771	−4631	−923	546	214
90	1	−18	158	375	−1240	−3502	−2	5024	3509	−1838	−2030	−488	43
92	0	−13	−17	525	735	−1910	−3811	−332	4085	1927	−468	−619	−106
94	0	2	−85	57	1141	1119	−1830	−3732	203	2150	1071	−17	−79
96	0	5	−25	−265	193	1643	1622	−1939	−2413	−71	863	359	29
98	0	0	28	−158	−542	102	2016	1220	−1307	−1432	−155	167	61
100	0	−1	18	64	−335	−963	111	1682	866	−758	−565	−120	1
102	0	0	−2	92	149	−522	−1096	45	1255	421	−175	−141	−26
104	0	0	−7	8	231	279	−498	−1011	183	597	227	0	−9
106	0	0	−1	−37	35	363	430	−516	−594	59	187	66	8
108	0	0	2	−17	−94	−4	444	303	−345	−301	−16	21	7
110	0	0	0	10	−43	−188	−27	363	176	−175	−94	−19	−3
112	0	0	0	6	27	−66	−223	−17	244	72	−27	−14	−2
114	0	0	0	−2	22	60	−50	−190	28	99	30	2	1
116	0	0	0	−1	−1	38	94	−62	−98	6	19	5	0
118	0	0	0	0	−7	−13	42	60	−41	−39	−2	0	0
120	0	0	0	0	−1	−17	−22	37	28	−17	−7	−1	0
122	0	0	0	0	2	0	−20	−13	22	10	−1	0	0
124	0	0	0	0	0	5	5	−17	−1	6	2	0	0
126	0	0	0	0	0	0	9	0	−7	−2	0	0	0
128	0	0	0	0	0	−1	−2	5	−1	−1	0	0	0
130	0	0	0	0	0	0	−2	0	2	0	0	0	0
132	0	0	0	0	0	0	1	−1	0	0	0	0	0

(13)

Knot 10_{161}: $H^{10_{161}}_{[3,3]} = \Big(q^{78}-q^{74}-2\,q^{72}+3\,q^{68}+2\,q^{66}+q^{64}-3\,q^{62}-2\,q^{60}+4\,q^{54}+q^{50}-2\,q^{48}-4\,q^{46}+q^{44}+q^{42}+5\,q^{40}-4\,q^{36}-3\,q^{34}-2\,q^{32}+4\,q^{30}+3\,q^{28}+q^{26}-2\,q^{24}-3\,q^{22}+q^{18}+q^{16}\Big)A^{60}+\Big(-q^{84}-q^{82}+q^{80}+4\,q^{78}+5\,q^{76}-q^{74}-8\,q^{72}-9\,q^{70}-q^{68}+10\,q^{66}+11\,q^{64}+2\,q^{62}-9\,q^{60}-13\,q^{58}-7\,q^{56}+4\,q^{54}+12\,q^{52}+13\,q^{50}+2\,q^{48}-13\,q^{46}-17\,q^{44}-5\,q^{42}+17\,q^{40}+23\,q^{38}+8\,q^{36}-14\,q^{34}-22\,q^{32}-7\,q^{30}+13\,q^{28}+21\,q^{26}+9\,q^{24}-8\,q^{22}-14\,q^{20}-7\,q^{18}+4\,q^{16}+7\,q^{14}+4\,q^{12}-q^{10}-3\,q^{8}-2\,q^{6}-q^{4}\Big)A^{58}+\Big(2+5\,q^{-2}+2\,q^{-6}+3\,q^{-4}-39\,q^{44}-55\,q^{42}-15\,q^{40}+33\,q^{38}+57\,q^{36}+20\,q^{34}-38\,q^{32}-61\,q^{30}-33\,q^{28}+24\,q^{26}+49\,q^{24}+29\,q^{22}-16\,q^{20}-38\,q^{18}-17\,q^{58}-35\,q^{56}-20\,q^{54}+8\,q^{52}+43\,q^{50}+37\,q^{48}+5\,q^{46}-2\,q^{72}-19\,q^{70}-21\,q^{68}-4\,q^{66}+27\,q^{64}+32\,q^{62}+17\,q^{60}-q^{86}-4\,q^{84}-8\,q^{82}-7\,q^{80}+3\,q^{78}+11\,q^{76}+14\,q^{74}+q^{88}-26\,q^{16}+4\,q^{14}+23\,q^{12}+18\,q^{10}+5\,q^{8}-7\,q^{4}-7\,q^{6}-2\,q^{2}\Big)A^{56}+\Big(-16-q^{-2}-q^{-16}-3\,q^{-14}-4\,q^{-12}-4\,q^{-10}+4\,q^{-6}+5\,q^{-4}-3\,q^{44}-77\,q^{42}-90\,q^{40}-26\,q^{38}+72\,q^{36}+104\,q^{34}+49\,q^{32}-48\,q^{30}-96\,q^{28}-46\,q^{26}+43\,q^{24}+97\,q^{22}+64\,q^{20}-14\,q^{18}+13\,q^{58}-48\,q^{56}-83\,q^{54}-61\,q^{52}+8\,q^{50}+65\,q^{48}+65\,q^{46}+24\,q^{72}-5\,q^{70}-38\,q^{68}-48\,q^{66}-16\,q^{64}+30\,q^{62}+47\,q^{60}+11\,q^{86}+8\,q^{84}-2\,q^{82}-11\,q^{80}-7\,q^{78}+10\,q^{76}+27\,q^{74}+q^{92}+4\,q^{90}+8\,q^{88}-64\,q^{16}-53\,q^{14}+q^{12}+37\,q^{10}+36\,q^{8}-20\,q^{4}+7\,q^{6}-25\,q^{2}\Big)A^{54}+\Big(-33-17\,q^{-2}-2\,q^{-14}-3\,q^{-12}+5\,q^{-10}+14\,q^{-8}+21\,q^{-6}+9\,q^{-4}+q^{-22}+2\,q^{-20}+q^{-24}+q^{-18}+116\,q^{44}+13\,q^{42}-102\,q^{40}-119\,q^{38}-35\,q^{36}+83\,q^{34}+121\,q^{32}+32\,q^{30}-90\,q^{28}-157\,q^{26}-95\,q^{24}+23\,q^{22}+91\,q^{20}+64\,q^{18}+101\,q^{58}+65\,q^{56}-18\,q^{54}-72\,q^{52}-42\,q^{50}+51\,q^{48}+131\,q^{46}+29\,q^{72}+32\,q^{70}-2\,q^{68}-35\,q^{66}-36\,q^{64}+5\,q^{62}+77\,q^{60}-q^{86}+2\,q^{84}-10\,q^{82}-24\,q^{80}-33\,q^{78}-21\,q^{76}+10\,q^{74}-2\,q^{96}-7\,q^{94}-12\,q^{92}-13\,q^{90}-7\,q^{88}-37\,q^{16}-101\,q^{14}-89\,q^{12}-17\,q^{10}+48\,q^{8}+22\,q^{4}+55\,q^{6}-23\,q^{2}\Big)A^{52}+\Big(-29-50\,q^{-2}-4\,q^{-16}-12\,q^{-14}-8\,q^{-12}+6\,q^{-10}+24\,q^{-8}+8\,q^{-6}-29\,q^{-4}-3\,q^{-22}-q^{-20}-3\,q^{-24}-q^{-26}+2\,q^{-18}+112\,q^{44}+102\,q^{42}-19\,q^{40}-144\,q^{38}-126\,q^{36}-5\,q^{34}+138\,q^{32}+173\,q^{30}+81\,q^{28}-28\,q^{26}-84\,q^{24}-18\,q^{22}+89\,q^{20}+160\,q^{18}+14\,q^{58}+56\,q^{56}+17\,q^{54}-85\,q^{52}-163\,q^{50}-135\,q^{48}+2\,q^{46}+29\,q^{72}+32\,q^{70}+21\,q^{68}-11\,q^{66}-53\,q^{64}-71\,q^{62}-48\,q^{60}+24\,q^{86}+37\,q^{84}+37\,q^{82}+16\,q^{80}-2\,q^{78}-5\,q^{76}+8\,q^{74}+7\,q^{98}+13\,q^{96}+13\,q^{94}+7\,q^{92}+q^{90}+7\,q^{88}+2\,q^{100}+138\,q^{16}+36\,q^{14}-46\,q^{12}-67\,q^{10}+88\,q^{4}+72\,q^{6}+44\,q^{2}\Big)A^{50}+\Big(64-22\,q^{-2}+2\,q^{-16}+3\,q^{-14}+29\,q^{-12}+59\,q^{-10}+43\,q^{-8}-15\,q^{-6}-50\,q^{-4}+14\,q^{-22}+26\,q^{-20}+q^{-24}-3\,q^{-26}+5\,q^{-28}+2\,q^{-36}+4\,q^{-34}+9\,q^{-32}+20\,q^{-18}+9\,q^{-30}+q^{-40}+q^{-38}+98\,q^{44}+221\,q^{42}+165\,q^{40}-148\,q^{36}-122\,q^{34}+q^{32}+92\,q^{30}+91\,q^{28}-18\,q^{26}-104\,q^{24}-151\,q^{22}-117\,q^{20}-38\,q^{18}-6\,q^{58}+79\,q^{56}+156\,q^{54}+141\,q^{52}+9\,q^{50}-93\,q^{48}-64\,q^{46}+q^{72}+14\,q^{70}+12\,q^{68}+24\,q^{66}+25\,q^{64}+9\,q^{62}-21\,q^{60}-30\,q^{86}-7\,q^{84}+5\,q^{82}-5\,q^{80}-32\,q^{78}-38\,q^{76}-23\,q^{74}-9\,q^{98}-5\,q^{96}+2\,q^{94}-4\,q^{92}-21\,q^{90}-36\,q^{88}-q^{104}-5\,q^{102}-9\,q^{100}+34\,q^{16}+58\,q^{14}-10\,q^{12}-96\,q^{10}-132\,q^{8}+50\,q^{4}-63\,q^{6}+100\,q^{2}\Big)A^{48}+\Big(79+40\,q^{-2}-59\,q^{-16}-28\,q^{-14}+4\,q^{-12}-24\,q^{-10}-94\,q^{-8}-128\,q^{-6}-73\,q^{-4}-10\,q^{-22}-25\,q^{-20}-20\,q^{-24}-36\,q^{-26}-36\,q^{-28}-7\,q^{-36}-q^{-34}-4\,q^{-32}-4\,q^{-44}-3\,q^{-46}-q^{-48}-56\,q^{-18}-18\,q^{-30}-6\,q^{-42}-8\,q^{-40}-10\,q^{-38}-185\,q^{44}+10\,q^{42}+137\,q^{40}+79\,q^{38}-80\,q^{36}-193\,q^{34}-111\,q^{32}+27\,q^{30}+118\,q^{28}+111\,q^{26}+35\,q^{24}+3\,q^{22}-30\,q^{20}-20\,q^{18}-90\,q^{58}-100\,q^{56}-26\,q^{54}+62\,q^{52}+35\,q^{50}-113\,q^{48}-225\,q^{46}-5\,q^{72}+8\,q^{70}-q^{68}-26\,q^{66}-22\,q^{64}-11\,q^{62}-38\,q^{60}-17\,q^{86}-7\,q^{84}+21\,q^{82}+29\,q^{80}+8\,q^{78}-25\,q^{76}-30\,q^{74}-5\,q^{98}-2\,q^{96}+8\,q^{94}+19\,q^{92}+15\,q^{90}-4\,q^{88}+2\,q^{106}+4\,q^{104}+4\,q^{102}+17\,q^{16}+79\,q^{14}+133\,q^{12}+74\,q^{10}-36\,q^{8}-96\,q^{4}-128\,q^{6}+18\,q^{2}\Big)A^{46}+\Big(20+126\,q^{-2}+50\,q^{-16}+84\,q^{-14}+48\,q^{-12}-30\,q^{-10}-63\,q^{-8}+5\,q^{-6}+111\,q^{-4}+34\,q^{-22}+6\,q^{-20}+43\,q^{-24}+23\,q^{-26}-2\,q^{-28}+22\,q^{-36}+29\,q^{-34}+16\,q^{-32}+3\,q^{-44}+3\,q^{-46}+2\,q^{-48}+4\,q^{-50}+3\,q^{-52}+2\,q^{-54}+12\,q^{-18}-3\,q^{-30}+2\,q^{-42}+q^{-40}+8\,q^{-38}-146\,q^{44}-106\,q^{42}+68\,q^{40}+175\,q^{38}+82\,q^{36}-81\,q^{34}-193\,q^{32}-120\,q^{30}-10\,q^{28}+25\,q^{26}-9\,q^{24}-82\,q^{22}-89\,q^{20}-105\,q^{18}+13\,q^{58}-33\,q^{56}-41\,q^{54}+29\,q^{52}+113\,q^{50}+99\,q^{48}-46\,q^{46}-20\,q^{72}+18\,q^{70}+42\,q^{68}+25\,q^{66}-9\,q^{64}-5\,q^{62}+17\,q^{60}-4\,q^{86}-20\,q^{84}-5\,q^{82}+29\,q^{80}+39\,q^{78}+13\,q^{76}-25\,q^{74}-q^{98}-6\,q^{96}-6\,q^{94}+5\,q^{92}+18\,q^{90}+15\,q^{88}-q^{108}-q^{106}+q^{104}+4\,q^{102}+4\,q^{100}-126\,q^{16}-111\,q^{14}-52\,q^{12}+49\,q^{10}+46\,q^{8}-140\,q^{4}-47\,q^{6}-118\,q^{2}\Big)A^{44}+\Big(-68+42\,q^{-2}+52\,q^{-16}+25\,q^{-14}-48\,q^{-12}-71\,q^{-10}+112\,q^{-6}+139\,q^{-4}-14\,q^{-22}-14\,q^{-20}+12\,q^{-24}+18\,q^{-26}-2\,q^{-28}+19\,q^{-36}+8\,q^{-34}-15\,q^{-32}-4\,q^{-44}-q^{-46}+q^{-50}+3\,q^{-52}+2\,q^{-54}-q^{-58}-q^{-60}+20\,q^{-18}-21\,q^{-30}-8\,q^{-42}-4\,q^{-40}+11\,q^{-38}-18\,q^{44}-92\,q^{42}-49\,q^{40}+109\,q^{38}+199\,q^{36}+121\,q^{34}-59\,q^{30}+38\,q^{28}+138\,q^{26}+151\,q^{24}+116\,q^{22}+79\,q^{20}+110\,q^{18}+25\,q^{58}+38\,q^{56}-5\,q^{54}-16\,q^{52}+32\,q^{50}+107\,q^{48}+101\,q^{46}-45\,q^{72}-32\,q^{70}+19\,q^{68}+49\,q^{66}+23\,q^{64}-14\,q^{62}-12\,q^{60}+7\,q^{86}-14\,q^{84}-29\,q^{82}-15\,q^{80}+19\,q^{78}+25\,q^{76}-9\,q^{74}+3\,q^{98}-2\,q^{96}-8\,q^{94}-8\,q^{92}-q^{90}+11\,q^{88}-q^{106}-2\,q^{104}+3\,q^{100}+105\,q^{16}+58\,q^{14}+29\,q^{12}+71\,q^{10}+166\,q^{8}+64\,q^{4}+173\,q^{6}-60\,q^{2}\Big)A^{42}+\Big(-105-99\,q^{-2}+12\,q^{-16}-40\,q^{-14}-66\,q^{-12}-24\,q^{-10}+55\,q^{-8}+74\,q^{-6}-q^{-4}-17\,q^{-22}+3\,q^{-20}-15\,q^{-24}+4\,q^{-26}+5\,q^{-28}+3\,q^{-36}-15\,q^{-34}-20\,q^{-32}-10\,q^{-44}-7\,q^{-46}-4\,q^{-48}+q^{-52}+2\,q^{-54}-2\,q^{-58}-2\,q^{-60}-q^{-62}+28\,q^{-18}-8\,q^{-30}-6\,q^{-42}+6\,q^{-40}+10\,q^{-38}+65\,q^{44}-25\,q^{42}-79\,q^{40}-42\,q^{38}+58\,q^{36}+106\,q^{34}+20\,q^{32}-63\,q^{30}-94\,q^{28}-21\,q^{26}+29\,q^{24}-5\,q^{22}-37\,q^{20}-51\,q^{18}-8\,q^{58}+21\,q^{56}+35\,q^{54}-4\,q^{52}-23\,q^{50}+15\,q^{48}+67\,q^{46}+5\,q^{72}-21\,q^{70}-4\,q^{68}+37\,q^{66}+51\,q^{64}+21\,q^{62}-20\,q^{60}+13\,q^{86}+11\,q^{84}+q^{82}-5\,q^{80}+10\,q^{78}+33\,q^{76}+34\,q^{74}+3\,q^{98}+2\,q^{96}-3\,q^{92}+5\,q^{88}-q^{104}-q^{102}+q^{100}-4\,q^{16}-8\,q^{14}-69\,q^{12}-93\,q^{10}-54\,q^{8}+61\,q^{4}+45\,q^{6}-18\,q^{2}\Big)A^{40}+\Big(-23-68\,q^{-2}-28\,q^{-16}-44\,q^{-14}-28\,q^{-12}+11\,q^{-10}+25\,q^{-8}-9\,q^{-6}-59\,q^{-4}-5\,q^{-22}+6\,q^{-20}-15\,q^{-24}-13\,q^{-26}-3\,q^{-28}-11\,q^{-36}-10\,q^{-34}-q^{-32}-6\,q^{-46}-7\,q^{-48}-3\,q^{-50}+2\,q^{-52}+4\,q^{-54}-q^{-58}-2\,q^{-60}+2\,q^{-56}-q^{-62}-2\,q^{-18}+3\,q^{-30}+7\,q^{-42}+6\,q^{-40}-3\,q^{-38}-12\,q^{44}-17\,q^{42}-63\,q^{40}-84\,q^{38}-65\,q^{36}-9\,q^{34}+5\,q^{32}-37\,q^{30}-67\,q^{28}-70\,q^{26}-23\,q^{24}-9\,q^{22}-32\,q^{20}-41\,q^{18}-47\,q^{58}-40\,q^{56}-23\,q^{54}-22\,q^{52}-45\,q^{50}-58\,q^{48}-40\,q^{46}-13\,q^{72}-27\,q^{70}-38\,q^{68}-29\,q^{66}-11\,q^{64}-10\,q^{62}-28\,q^{60}-6\,q^{86}-8\,q^{84}-10\,q^{82}-13\,q^{80}-16\,q^{78}-15\,q^{76}-9\,q^{74}+q^{98}-3\,q^{94}-5\,q^{92}-4\,q^{90}-3\,q^{88}-q^{104}-2\,q^{102}-q^{100}-32\,q^{16}+2\,q^{14}-7\,q^{12}-47\,q^{10}-61\,q^{8}+20\,q^{4}-32\,q^{6}+25\,q^{2}\Big)A^{38}+\Big(26+9\,q^{-2}+q^{-16}+4\,q^{-14}+17\,q^{-12}+21\,q^{-10}+14\,q^{-8}+2\,q^{-6}-2\,q^{-4}+11\,q^{-22}+11\,q^{-20}+7\,q^{-24}+2\,q^{-26}+q^{-36}+6\,q^{-34}+7\,q^{-32}+6\,q^{-44}+2\,q^{-46}-q^{-48}-2\,q^{-50}+2\,q^{-54}+q^{-58}+2\,q^{-56}+3\,q^{-18}+5\,q^{-30}+4\,q^{-42}+q^{-40}-3\,q^{-38}+q^{-72}+19\,q^{44}+23\,q^{42}+28\,q^{40}+10\,q^{38}+11\,q^{36}+14\,q^{34}+24\,q^{32}+34\,q^{30}+13\,q^{28}+14\,q^{26}+12\,q^{24}+19\,q^{22}+26\,q^{20}+7\,q^{18}+12\,q^{58}+8\,q^{56}+12\,q^{54}+17\,q^{52}+19\,q^{50}+14\,q^{48}+9\,q^{46}+8\,q^{72}+9\,q^{70}+8\,q^{68}+6\,q^{66}+9\,q^{64}+13\,q^{62}+15\,q^{60}+4\,q^{86}+3\,q^{84}+q^{82}+5\,q^{80}+6\,q^{78}+7\,q^{76}+5\,q^{74}+q^{98}+2\,q^{96}+q^{94}+q^{90}+3\,q^{88}+q^{108}+15\,q^{16}+16\,q^{14}+24\,q^{12}+21\,q^{10}+3\,q^{8}+12\,q^{4}+3\,q^{6}+24\,q^{2}\Big)A^{36}$

5 Conclusion

We managed to calculate inclusive Racah matrices for $R = [3,3]$ using the highest weight method in Gelfand-Tsetlin basis. The use of this basis allows to simplify computations significantly and access colored HOMFLY polynomials with 6 and more boxes. We expect to get several new interesting results soon, in particular, the long-anticipated non-trivial color [4,2]. All details of the method will be published separately.

Acknowledgements

We are indebted to Alexei Morozov for a lot of discussions on polynomial invariants and Racah matrices. Shamil Shakirov is also grateful to Nicolai Reshetikhin for enlightening explanations on quantum groups and 6-j symbols. Alexey Sleptsov is indebted for hospitality to the International Institute of Physics (Natal, Brazil), where a part of this work was done.

Our work is partly supported by RFBR grants 15-31-20832-mol-a-ved (Sh.Sh.,A.S.), 15-01-05990 (Sh.Sh.), mol-a-dk 16-31-60082 (A.S.), RFBR 16-51-45029-Ind (A.S.), RFBR 15-51-52031-NSC (A.S.), RFBR 15-51-50034-YaF (A.S.), 16-51-53034 (A.S.), by MK-8769.2016.1 (A.S.), by foundation FUNPEC-UFRN (A.S.) and by the Quantum Topology Lab of Chelyabinsk State University (Russian Federation government grant 14.Z50.31.0020) (A.S.).

References

[1] A.Mironov and A.Morozov, Nucl.Phys. **B899** (2015) 395-413, arXiv:1506.00339

[2] A.Morozov, arXiv:1606.06015

[3] M. Aganagic, A.Klemm, M.Marino and C.Vafa, *The Topological Vertex*, Commun.Math.Phys. 254 (2005) 425-478, arXiv:hep-th/0305132

[4] D.Galakhov, D.Melnikov, A.Mironov and A.Morozov, *Knot invariants from Virasoro related representation and pretzel knots*, Nuclear Physics, B899 (2015) 194-228, arXiv:1502.02621

[5] J.H. Conway, Algebraic Properties, In: John Leech (ed.), *Computational Problems in Abstract Algebra*, Proc. Conf. Oxford, 1967, Pergamon Press, Oxford-New York, 329-358, 1970

[6] S.-S. Chern and J. Simons, Ann.Math. **99** (1974) 48-69
E. Witten, Comm.Math.Phys. **121** (1989) 351-399

[7] R.K. Kaul, T.R. Govindarajan, Nucl.Phys. **B380** (1992) 293-336, hep-th/9111063; *ibid.* **B393** (1993) 392-412
P. Ramadevi, T.R. Govindarajan and R.K. Kaul, Nucl.Phys. **B402** (1993) 548-566, hep-th/9212110; Nucl.Phys. **B422** (1994) 291-306, hep-th/9312215; Mod.Phys.Lett. **A10** (1995) 1635-1658, hep-th/9412084
P. Ramadevi and T. Sarkar, Nucl.Phys. B600 (2001) 487-511, hep-th/0009188
P. Ramadevi and Zodinmawia, arXiv:1107.3918; arXiv:1209.1346

[8] A. Mironov, A. Morozov and An. Morozov, in: *Strings, Gauge Fields, and the Geometry Behind: The Legacy of Maximilian Kreuzer*, edited by A.Rebhan, L.Katzarkov, J.Knapp, R.Rashkov, E.Scheidegger (World Scietific Publishins Co.Pte.Ltd. 2013) pp.101-118, arXiv:1112.5754; JHEP **03** (2012) 034, arXiv:1112.2654
A. Anokhina, A. Mironov, A. Morozov and An. Morozov, Nucl.Phys. **B868** (2013) 271-313, arXiv:1207.0279
A. Anokhina, arXiv:1412.8444

[9] H. Itoyama, A. Mironov, A. Morozov and An. Morozov, IJMP **A27** (2012) 1250099, arXiv:1204.4785
A. Anokhina, A. Mironov, A. Morozov and An. Morozov, Adv.High Energy Physics, **2013** (2013) 931830, arXiv:1304.1486

[10] A. Anokhina and An. Morozov, Theor.Math.Phys. **178** (2014) 1-58, arXiv:1307.2216

[11] N.Yu. Reshetikhin and V.G. Turaev, Comm. Math. Phys. **127** (1990) 1-26
E. Guadagnini, M. Martellini and M. Mintchev, Clausthal 1989, Procs.307-317; Phys.Lett. **B235** (1990) 275
V.G. Turaev and O.Y. Viro, Topology 31, 865 (1992)
A. Morozov and A. Smirnov, Nucl.Phys. **B835** (2010) 284-313, arXiv:1001.2003
A. Smirnov, Proc. of International School of Subnuclar Phys. Erice, Italy, 2009, arXiv:hep-th/0910.5011

[12] I. M. Gelfand and M. L. Tsetlin, *Finite-dimensional representations of groups of orthogonal matrices*, Dokl. Akad. Nauk SSSR 71 (1950), 10171020 (Russian). English transl. in: I. M. Gelfand, *Collected papers*. Vol II, Berlin: Springer-Verlag 1988, pp. 657661.

[13] A. Mironov and A. Morozov, Phys. Lett. **B755** (2016) 47-57, arXiv:1511.09077

[14] A. Mironov, A. Morozov, An. Morozov, P. Ramadevi, and Vivek Kumar Singh, JHEP **1507** (2015) 109, arXiv:1504.00371

[15] A. Mironov, A. Morozov, An. Morozov, P. Ramadevi, Vivek Kumar Singh and A. Sleptsov, arXiv:1601.04199

[16] A. Caudron, *Classification des noeuds et des enlacements*, Publ. Math. Orsay **82-4**, University of Paris XI, Orsay, 1982
F. Bonahon and L. C. Siebenmann, http://www-bcf.usc.edu/∼fbonahon/Research/Preprints/BonSieb.pdf, *New geometric splittings of classical knots and the classification and symmetries of arborescent knots*, 2010

[17] S. Nawata, P. Ramadevi and Zodinmawia, Lett.Math.Phys. **103** (2013) 1389-1398, arXiv:1302.5143

[18] A. Mironov, A. Morozov and A. Sleptsov, JHEP **07** (2015) 069, arXiv:1412.8432

[19] A. Mironov, A. Morozov, An. Morozov and A. Sleptsov, J. Mod. Phys. **A30** (2015) 1550169, arXiv:1508.02870

[20] A. Mironov, A. Morozov, An. Morozov and A. Sleptsov, arXiv:1605.02313

[21] A. Mironov, A. Morozov, An. Morozov and A. Sleptsov, arXiv:1605.03098

[22] A. Mironov, A. Morozov, An. Morozov and A. Sleptsov, arXiv:1605.04881

[23] H. Itoyama, A. Mironov, A. Morozov and An. Morozov, IJMP **A28** (2013) 1340009, arXiv:1209.6304

[24] L. D. Landau and E. M. Lifshitz, *Quantum Mechanics: Non-Relativistic Theory*, (3rd ed.) Pergamon Press, 1977

[25] J. Gu and H. Jockers, arXiv:1407.5643

[26] http://knotebook.org

[27] D. Bar-Natan and S. Morrison, http://www.katlas.org

[28] A. Mironov, A. Morozov and A. Sleptsov, Theor.Math.Phys. **177** (2013) 179-221, arXiv:1303.1015; Eur.Phys.J. **C73** (2013) 2492, arXiv:1304.7499
A. Mironov, A. Morozov, A. Sleptsov and A. Smirnov, Nucl.Phys. **B889** (2014) 757-777, arXiv:1310.7622
A. Sleptsov, Int.J.Mod.Phys. **A29** (2014) 1430063

[29] For brief review and references see:
A. Mironov and A. Morozov, AIP Conf.Proc. **1483** (2012) 189-211, arXiv:1208.2282

Appendix A: Matrix elements of the Racah matrix $[3,3]^{\otimes 3} \to [7,6,3,2]$

Here we present for illustration purposes the irreducible factors of the 12×12 Racah matrix $[3,3]^{\otimes 3} \to [7,6,3,2]$.

$$u_1^2 = u_1^3 = -q^{10}\ (q^{40}+2\,q^{38}+3\,q^{36}+6\,q^{34}+8\,q^{32}+11\,q^{30}+14\,q^{28}+17\,q^{26}+19\,q^{24}+20\,q^{22}+21\,q^{20}+20\,q^{18}+19\,q^{16}+17\,q^{14}+14\,q^{12}+11\,q^{10}+8\,q^8+6\,q^6+3\,q^4+2\,q^2+1)^{-1/2}$$

$$u_1^4 = -u_1^5 = q^{11}\ (q^{44}+3\,q^{42}+7\,q^{40}+13\,q^{38}+21\,q^{36}+32\,q^{34}+43\,q^{32}+54\,q^{30}+66\,q^{28}+73\,q^{26}+78\,q^{24}+81\,q^{22}+78\,q^{20}+73\,q^{18}+66\,q^{16}+54\,q^{14}+43\,q^{12}+32\,q^{10}+21\,q^8+13\,q^6+7\,q^4+3\,q^2+1)^{-1/2}$$

$$u_1^8 = u_1^9 = -u_8^1 = -u_9^1 = q^9\ (q^{36}+4\,q^{34}+9\,q^{32}+15\,q^{30}+23\,q^{28}+32\,q^{26}+41\,q^{24}+48\,q^{22}+52\,q^{20}+53\,q^{18}+52\,q^{16}+48\,q^{14}+41\,q^{12}+32\,q^{10}+23\,q^8+15\,q^6+9\,q^4+4\,q^2+1)^{-1/2}$$

$$u_2^1 = -u_3^1 = -q^7\ (q^{28}+4\,q^{24}+q^{22}+7\,q^{20}+q^{18}+9\,q^{16}+q^{14}+9\,q^{12}+q^{10}+7\,q^8+q^6+4\,q^4+1)^{-1/2}$$

$$u_4^1 = -q^6\,(q^{12}+3\,q^{10}+3\,q^8+3\,q^6+3\,q^4+3\,q^2+1)\ (q^{48}+6\,q^{46}+18\,q^{44}+39\,q^{42}+72\,q^{40}+119\,q^{38}+178\,q^{36}+241\,q^{34}+308\,q^{32}+366\,q^{30}+413\,q^{28}+440\,q^{26}+452\,q^{24}+440\,q^{22}+413\,q^{20}+366\,q^{18}+308\,q^{16}+241\,q^{14}+178\,q^{12}+119\,q^{10}+72\,q^8+39\,q^6+18\,q^4+6\,q^2+1)^{-1/2}$$

$$u_5^1 = q^{12}\,(q^{12}+3\,q^{10}+3\,q^8+3\,q^6+3\,q^4+3\,q^2+1)\ (q^{48}+6\,q^{46}+18\,q^{44}+39\,q^{42}+72\,q^{40}+119\,q^{38}+178\,q^{36}+241\,q^{34}+308\,q^{32}+366\,q^{30}+413\,q^{28}+440\,q^{26}+452\,q^{24}+440\,q^{22}+413\,q^{20}+366\,q^{18}+308\,q^{16}+241\,q^{14}+178\,q^{12}+119\,q^{10}+72\,q^8+39\,q^6+18\,q^4+6\,q^2+1)^{-1/2}$$

$$u_2^2 = 251+5q^{22}+13q^{20}+48q^{-16}+171q^{-8}+13q^{-20}+q^{24}+171q^8+244q^{-2}+244q^2+5q^{-22}+75q^{14}+105q^{12}+28q^{18}+138q^{10}+48q^{16}+q^{-24}+28q^{-18}+75q^{-14}+105q^{-12}+138q^{-10}+202q^6+202q^{-6}+228q^4+228q^{-4}$$

$$u_2^3 = q^{10}+q^8+q^6+2q^4+2q^2+2q^{-2}+2q^{-4}+q^{-6}+q^{-8}+q^{-10}$$

$$u_2^4 = 463+q^{26}+15q^{22}+35q^{20}+106q^{-16}+323q^{-8}+35q^{-20}+q^{-26}+5q^{24}+323q^8+453q^{-2}+453q^2+15q^{-22}+155q^{14}+209q^{12}+65q^{18}+266q^{10}+106q^{16}+5q^{-24}+65q^{-18}+155q^{-14}+209q^{-12}+266q^{-10}+377q^6+377q^{-6}+422q^4+422q^{-4}$$

$$u_2^5 = -(q^{12}+2q^{10}+3q^8+3q^6+4q^4+3q^2+2+3q^{-2}+4q^{-4}+3q^{-6}+3q^{-8}+2q^{-10}+q^{-12})$$

$$u_2^6 = q^{10}+2q^8+q^6+2q^4+q^2+2+q^{-2}+2q^{-4}+q^{-6}+2q^{-8}+q^{-10}$$

$$u_2^7 = -(q^{18}+2q^{16}+3q^{14}+5q^{12}+6q^{10}+7q^8+9q^6+9q^4+11q^2+11+11q^{-2}+9q^{-4}+9q^{-6}+7q^{-8}+6q^{-10}+5q^{-12}+3q^{-14}+2q^{-16}+q^{-18})$$

$$u_2^8 = q^{18}+q^{16}+2q^{14}+q^{12}+3q^{10}+2q^8+3q^6+2q^4+4q^2+3+4q^{-2}+2q^{-4}+3q^{-6}+2q^{-8}+3q^{-10}+q^{-12}+2q^{-14}+q^{-16}+q^{-18}$$

$$u_2^9 = 31+3q^{22}+5q^{20}+11q^{-16}+25q^{-8}+5q^{-20}+q^{24}+25q^8+30q^{-2}+30q^2+3q^{-22}+14q^{14}+18q^{12}+8q^{18}+21q^{10}+11q^{16}+q^{-24}+8q^{-18}+14q^{-14}+18q^{-12}+21q^{-10}+28q^6+28q^{-6}+30q^4+30q^{-4}$$

$$u_2^{10} = -q^{12}+q^{10}+q^2-1+q^{-2}+q^{-10}-q^{-12}$$

$$u_2^{11} = -q^{14}+2q^{12}-3q^{10}+5q^8-5q^6+8q^4-7q^2+9-7q^{-2}+8q^{-4}-5q^{-6}+5q^{-8}-3q^{-10}+2q^{-12}-q^{-14}$$

$$u_2^{12} = q^{14}+4q^{10}+q^8+7q^6+q^4+9q^2+1+9q^{-2}+q^{-4}+7q^{-6}+q^{-8}+4q^{-10}+q^{-14}$$

$$u_3^2 = -q^8-q^6-q^4+1-q^{-4}-q^{-6}-q^{-8}$$

$$u_3^3 = 2q^{16}+4q^{14}+8q^{12}+12q^{10}+16q^8+19q^6+22q^4+25q^2+25+25q^{-2}+22q^{-4}+19q^{-6}+16q^{-8}+12q^{-10}+8q^{-12}+4q^{-14}+2q^{-16}$$

$$u_3^4 = -(q^{14}+3q^{12}+6q^{10}+10q^8+12q^6+14q^4+15q^2+15+15q^{-2}+14q^{-4}+12q^{-6}+10q^{-8}+6q^{-10}+3q^{-12}+q^{-14})$$

$$u_3^5 = 2q^{18}+7q^{16}+16q^{14}+28q^{12}+42q^{10}+55q^8+66q^6+75q^4+81q^2+83+81q^{-2}+75q^{-4}+66q^{-6}+55q^{-8}+42q^{-10}+28q^{-12}+16q^{-14}+7q^{-16}+2q^{-18}$$

$$u_3^7 = -2q^4-4q^2-5-4q^{-2}-2q^{-4}$$

$$u_3^9 = 3q^{16}+11q^{14}+25q^{12}+42q^{10}+59q^8+74q^6+88q^4+99q^2+103+99q^{-2}+88q^{-4}+74q^{-6}+59q^{-8}+42q^{-10}+25q^{-12}+11q^{-14}+3q^{-16}$$

$$u_4^2 = q^{-18}(q^{48}+2q^{46}+5q^{44}+6q^{42}+14q^{40}+10q^{38}+24q^{36}+15q^{34}+34q^{32}+20q^{30}+43q^{28}+23q^{26}+47q^{24}+23q^{22}+43q^{20}+20q^{18}+34q^{16}+15q^{14}+24q^{12}+10q^{10}+14q^8+6q^6+5q^4+2q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^3 = (q^{28}+4q^{26}+6q^{24}+8q^{22}+11q^{20}+11q^{18}+11q^{16}+13q^{14}+11q^{12}+11q^{10}+11q^8+8q^6+6q^4+4q^2+1)\times \times q^{-8}(q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^4 = q^{-26}(q^{64}+4q^{62}+8q^{60}+16q^{58}+18q^{56}+19q^{54}+q^{52}-28q^{50}-84q^{48}-153q^{46}-248q^{44}-344q^{42}-455q^{40}-544q^38-628q^{36}-673q^{34}-695q^{32}-673q^{30}-628q^{28}-544q^{26}-455q^{24}-344q^{22}-248q^{20}-153q^{18}-84q^{16}-28q^{14}+q^{12}+19q^{10}+18q^8+16q^6+8q^4+4q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^5 = q^{-16}(q^{44}+6q^{42}+17q^{40}+33q^{38}+51q^{36}+70q^{34}+89q^{32}+109q^{30}+129q^{28}+147q^{26}+160q^{24}+165q^{22}+160q^{20}+147q^{18}+129q^{16}+109q^{14}+89q^{12}+70q^{10}+51q^8+33q^6+17q^4+6q^2+1)(q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^6 = q^{-6}(q^{24}+q^{22}+2q^{20}+5q^{18}+8q^{16}+12q^{14}+15q^{12}+12q^{10}+8q^8+5q^6+2q^4+q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^7 = -q^{-14}(q^{40}+2q^{38}+3q^{36}+4q^{34}+3q^{32}+5q^{30}+2q^{28}+6q^{26}+2q^{24}+7q^{22}+3q^{20}+7q^{18}+2q^{16}+6q^{14}+2q^{12}+5q^{10}+3q^8+4q^6+3q^4+2q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^8 = -q^{-18}(q^{48}+3q^{46}+7q^{44}+16q^{42}+28q^{40}+44q^{38}+62q^{36}+84q^{34}+105q^{32}+124q^{30}+140q^{28}+151q^{26}+153q^{24}+151q^{22}+140q^{20}+124q^{18}+105q^{16}+84q^{14}+62q^{12}+44q^{10}+28q^8+16q^6+7q^4+3q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^9 = q^{-18}(q^{48}+2q^{46}+2q^{44}+3q^{42}+q^{40}+3q^{38}+q^{36}+q^{34}+2q^{32}-q^{30}-q^{26}-3q^{24}-q^{22}-q^{18}+2q^{16}+q^{14}+q^{12}+3q^{10}+q^8+3q^6+2q^4+2q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^{10} = q^{-16}(q^{44}+2q^{42}+q^{40}-2q^{36}-5q^{34}-12q^{32}-18q^{30}-22q^{28}-24q^{26}-26q^{24}-25q^{22}-26q^{20}-24q^{18}-22q^{16}-18q^{14}-12q^{12}-5q^{10}-2q^8+q^4+2q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^{11} = q^{-14}(q^{40}+3q^{38}+6q^{36}+10q^{34}+13q^{32}+20q^{30}+22q^{28}+29q^{26}+29q^{24}+35q^{22}+32q^{20}+35q^{18}+29q^{16}+29q^{14}+22q^{12}+20q^{10}+13q^8+10q^6+6q^4+3q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_4^{12} = -q^{-12}(q^{36}+3q^{34}+5q^{32}+9q^{30}+13q^{28}+19q^{26}+21q^{24}+26q^{22}+26q^{20}+28q^{18}+26q^{16}+26q^{14}+21q^{12}+19q^{10}+13q^8+9q^6+5q^4+3q^2+1)\ (q^{12}+3q^{10}+3q^8+3q^6+3q^4+3q^2+1)^{-1}$$

$$u_5^2 = q^{16}+5q^{14}+13q^{12}+24q^{10}+36q^8+47q^6+55q^4+61q^2+63+61q^{-2}+55q^{-4}+47q^{-6}+36q^{-8}+24q^{-10}+13q^{-12}+5q^{-14}+q^{-16}$$

$$u_5^3 = q^{22} + q^{20} + q^{18} + q^{16} - 2q^{14} - 4q^{12} - 8q^{10} - 8q^8 - 15q^6 - 12q^4 - 18q^2 - 15 - 18q^{-2} - 12q^{-4} - 15q^{-6} - 8q^{-8} - 8q^{-10} - 4q^{-12} - 2q^{-14} + q^{-16} + q^{-18} + q^{-20} + q^{-22}$$

$$u_5^4 = 333 + 6q^{22} + 18q^{20} + 67q^{-16} + 225q^{-8} + 18q^{-20} + q^{24} + 225q^8 + 325q^{-2} + 325q^2 + 6q^{-22} + 102q^{14} + 140q^{12} + 38q^{18} + 182q^{10} + 67q^{16} + q^{-24} + 38q^{-18} + 102q^{-14} + 140q^{-12} + 182q^{-10} + 265q^6 + 265q^{-6} + 301q^4 + 301q^{-4}$$

$$u_5^5 = -61 + q^{28} + 2q^{26} - 3q^{20} - 16q^{-16} - 43q^{-8} - 3q^{-20} + 2q^{-26} + q^{-28} + 2q^{24} - 43q^8 - 60q^{-2} - 60q^2 - 21q^{14} - 27q^{12} - 9q^{18} - 35q^{10} - 16q^{16} + 2q^{-24} - 9q^{-18} - 21q^{-14} - 27q^{-12} - 35q^{-10} - 49q^6 - 49q^{-6} - 57q^4 - 57q^{-4}$$

$$u_5^6 = q^{14} + 2q^{12} + 2q^{10} + q^8 + 3q^6 + 2q^4 + 4q^2 + 3 + 4q^{-2} + 2q^{-4} + 3q^{-6} + q^{-8} + 2q^{-10} + 2q^{-12} + q^{-14}$$

$$u_5^7 = 2q^{12} + 7q^{10} + 13q^8 + 18q^6 + 22q^4 + 23q^2 + 23 + 23q^{-2} + 22q^{-4} + 18q^{-6} + 13q^{-8} + 7q^{-10} + 2q^{-12}$$

$$u_5^8 = -q^6 - 2q^4 + q^2 - 2 + q^{-2} - 2q^{-4} - q^{-6}$$

$$u_5^9 = -(79 + 10q^{22} + 25q^{20} + 62q^{-16} + 87q^{-8} + 25q^{-20} + 2q^{24} + 87q^8 + 81q^{-2} + 81q^2 + 10q^{-22} + 74q^{14} + 80q^{12} + 44q^{18} + 84q^{10} + 62q^{16} + 2q^{-24} + 44q^{-18} + 74q^{-14} + 80q^{-12} + 84q^{-10} + 87q^6 + 87q^{-6} + 85q^4 + 85q^{-4})$$

$$u_5^{10} = q^8 + 3q^6 + q^4 + 2q^2 + 2 + 2q^{-2} + q^{-4} + 3q^{-6} + q^{-8}$$

$$u_5^{11} = -2q^4 - 2q^2 - 3 - 2q^{-2} - 2q^{-4}$$

$$u_6^2 = q^8 + 2\,q^4 + q^2 + 3 + q^{-2} + 2\,q^{-4} + q^{-8}$$

$$u_6^3 = -q^{10} - 2\,q^8 - 2\,q^6 - 2\,q^4 - 2\,q^2 - 1 - 2\,q^{-2} - 2\,q^{-4} - 2\,q^{-6} - 2\,q^{-8} - q^{-10}$$

$$u_6^4 = q^{16} + q^{14} + 2\,q^{12} + 2\,q^{10} + 2\,q^8 + 2\,q^6 + q^4 - q^2 - 1 - q^{-2} + q^{-4} + 2\,q^{-6} + 2\,q^{-8} + 2\,q^{-10} + 2\,q^{-12} + q^{-14} + q^{-16}$$

$$u_6^5 = -q^{16} - 3\,q^{14} - 5\,q^{12} - 5\,q^{10} - 5\,q^8 - 6\,q^6 - 8\,q^4 - 10\,q^2 - 11 - 10\,q^{-2} - 8\,q^{-4} - 6\,q^{-6} - 5\,q^{-8} - 5\,q^{-10} - 5\,q^{-12} - 3\,q^{-14} - q^{-16}$$

$$u_6^6 = q^{12} + q^{10} - q^6 + 3\,q^2 + 5 + 3\,q^{-2} - q^{-6} + q^{-10} + q^{-12}$$

$$u_6^8 = -q^8 - q^6 - 2\,q^4 - 3\,q^2 - 3 - 3\,q^{-2} - 2\,q^{-4} - q^{-6} - q^{-8}$$

$$u_6^9 = q^4 - q^2 + 1 - q^{-2} + q^{-4}$$

$$u_6^{10} = q^6 - q^2 - 1 - q^{-2} + q^{-6}$$

$$u_7^2 = -q^{22} - 4\,q^{20} - 9\,q^{18} - 16\,q^{16} - 25\,q^{14} - 35\,q^{12} - 47\,q^{10} - 59\,q^8 - 70\,q^6 - 79\,q^4 - 85\,q^2 - 87 - 85\,q^{-2} - 79\,q^{-4} - 70\,q^{-6} - 59\,q^{-8} - 47\,q^{-10} - 35\,q^{-12} - 25\,q^{-14} - 16\,q^{-16} - 9\,q^{-18} - 4\,q^{-20} - q^{-22}$$

$$u_7^4 = -q^{22} - 3\,q^{20} - 6\,q^{18} - 9\,q^{16} - 11\,q^{14} - 13\,q^{12} - 15\,q^{10} - 17\,q^8 - 20\,q^6 - 22\,q^4 - 24\,q^2 - 25 - 24\,q^{-2} - 22\,q^{-4} - 20\,q^{-6} - 17\,q^{-8} - 15\,q^{-10} - 13\,q^{-12} - 11\,q^{-14} - 9\,q^{-16} - 6\,q^{-18} - 3\,q^{-20} - q^{-22}$$

$$u_7^7 = q^{16} + 3\,q^{14} + 5\,q^{12} + 6\,q^{10} + 6\,q^8 + 6\,q^6 + 8\,q^4 + 10\,q^2 + 11 + 10\,q^{-2} + 8\,q^{-4} + 6\,q^{-6} + 6\,q^{-8} + 6\,q^{-10} + 5\,q^{-12} + 3\,q^{-14} + q^{-16}$$

$$u_7^8 = -q^{14} - q^{12} - q^{10} - 2\,q^6 - 2\,q^4 - 3\,q^2 - 2 - 3\,q^{-2} - 2\,q^{-4} - 2\,q^{-6} - q^{-10} - q^{-12} - q^{-14}$$

$$u_7^9 = q^{18} + 4\,q^{16} + 10\,q^{14} + 18\,q^{12} + 25\,q^{10} + 31\,q^8 + 37\,q^6 + 44\,q^4 + 50\,q^2 + 53 + 50\,q^{-2} + 44\,q^{-4} + 37\,q^{-6} + 31\,q^{-8} + 25\,q^{-10} + 18\,q^{-12} + 10\,q^{-14} + 4\,q^{-16} + q^{-18}$$

$$u_7^9 = q^{18} + 4\,q^{16} + 10\,q^{14} + 18\,q^{12} + 25\,q^{10} + 31\,q^8 + 37\,q^6 + 44\,q^4 + 50\,q^2 + 53 + 50\,q^{-2} + 44\,q^{-4} + 37\,q^{-6} + 31\,q^{-8} + 25\,q^{-10} + 18\,q^{-12} + 10\,q^{-14} + 4\,q^{-16} + q^{-18}$$

$$u_8^2 = -q^{10} - 2\,q^8 - 3\,q^6 - 3\,q^4 - 2\,q^2 - 1 - 2\,q^{-2} - 3\,q^{-4} - 3\,q^{-6} - 2\,q^{-8} - q^{-10}$$

$$u_8^3 = q^8 + q^2 - 1 + q^{-2} + q^{-8}$$

$$u_8^4 = -q^{22} - 3\,q^{20} - 7\,q^{18} - 14\,q^{16} - 24\,q^{14} - 36\,q^{12} - 48\,q^{10} - 59\,q^8 - 70\,q^6 - 79\,q^4 - 86\,q^2 - 89 - 86\,q^{-2} - 79\,q^{-4} - 70\,q^{-6} - 59\,q^{-8} - 48\,q^{-10} - 36\,q^{-12} - 24\,q^{-14} - 14\,q^{-16} - 7\,q^{-18} - 3\,q^{-20} - q^{-22}$$

$$u_8^5 = -q^6 - q^4 - 1 - q^{-4} - q^{-6}$$

$$u_8^6 = q^8 + q^6 + 2\,q^4 + 3\,q^2 + 3 + 3\,q^{-2} + 2\,q^{-4} + q^{-6} + q^{-8}$$

$$u_8^7 = -q^{14} - q^{12} - q^{10} - 2\,q^6 - 2\,q^4 - 3\,q^2 - 2 - 3\,q^{-2} - 2\,q^{-4} - 2\,q^{-6} - q^{-10} - q^{-12} - q^{-14}$$

$$u_8^8 = -53 - q^{26} - 4\,q^{22} - 6\,q^{20} - 16\,q^{-16} - 41\,q^{-8} - 6\,q^{-20} - q^{-26} - 2\,q^{24} - 41\,q^8 - 52\,q^{-2} - 52\,q^2 - 4\,q^{-22} - 20\,q^{14} - 26\,q^{12} - 11\,q^{18} - 33\,q^{10} - 16\,q^{16} - 2\,q^{-24} - 11\,q^{-18} - 20\,q^{-14} - 26\,q^{-12} - 33\,q^{-10} - 44\,q^6 - 44\,q^{-6} - 47\,q^4 - 47\,q^{-4}$$

$$u_8^9 = -q^{14} - q^{12} - 2\,q^{10} - 2\,q^6 - 2\,q^4 - 2\,q^2 - 2 - 2\,q^{-2} - 2\,q^{-4} - 2\,q^{-6} - 2\,q^{-10} - q^{-12} - q^{-14}$$

$$u_8^{10} = -q^{14} - q^{12} - 2\,q^{10} - 2\,q^8 - 3\,q^6 - 3\,q^4 - 2\,q^2 - 3 - 2\,q^{-2} - 3\,q^{-4} - 3\,q^{-6} - 2\,q^{-8} - 2\,q^{-10} - q^{-12} - q^{-14}$$

$$u_8^{11} = -q^{10} - q^8 - 2\,q^6 - 2\,q^4 - 2\,q^2 - 3 - 2\,q^{-2} - 2\,q^{-4} - 2\,q^{-6} - q^{-8} - q^{-10}$$

$$u_8^{12} = q^{14} + 2\,q^{12} + 3\,q^{10} + 4\,q^8 + 6\,q^6 + 7\,q^4 + 7\,q^2 + 7 + 7\,q^{-2} + 7\,q^{-4} + 6\,q^{-6} + 4\,q^{-8} + 3\,q^{-10} + 2\,q^{-12} + q^{-14}$$

$$u_9^2 = 443 + q^{28} + 5\,q^{26} + 29\,q^{22} + 51\,q^{20} + 118\,q^{-16} + 325\,q^{-8} + 51\,q^{-20} + 5\,q^{-26} + q^{-28} + 14\,q^{24} + 325\,q^8 + 435\,q^{-2} + 435\,q^2 + 29\,q^{-22} + 164\,q^{14} + 216\,q^{12} + 80\,q^{18} + 271\,q^{10} + 118\,q^{16} + 14\,q^{-24} + 80\,q^{-18} + 164\,q^{-14} + 216\,q^{-12} + 271\,q^{-10} + 373\,q^6 + 373\,q^{-6} + 411\,q^4 + 411\,q^{-4}$$

$$u_9^3 = q^{18} + q^{16} + q^{14} - q^{10} - 2\,q^8 - 2\,q^6 - 3\,q^4 - 5\,q^2 - 5 - 5\,q^{-2} - 3\,q^{-4} - 2\,q^{-6} - 2\,q^{-8} - q^{-10} + q^{-14} + q^{-16} + q^{-18}$$

$$u_9^4 = -5 + q^{28} + 4\,q^{26} + 15\,q^{22} + 19\,q^{20} + 22\,q^{-16} + 12\,q^{-8} + 19\,q^{-20} + 4\,q^{-26} + q^{-28} + 9\,q^{24} + 12\,q^8 - 4\,q^{-2} - 4\,q^2 + 15\,q^{-22} + 21\,q^{14} + 20\,q^{12} + 21\,q^{18} + 17\,q^{10} + 22\,q^{16} + 9\,q^{-24} + 21\,q^{-18} + 21\,q^{-14} + 20\,q^{-12} + 17\,q^{-10} + 7\,q^6 + 7\,q^{-6} + q^4 + q^{-4}$$

$$u_9^5 = -q^{20} - 3\,q^{18} - 5\,q^{16} - 6\,q^{14} - 6\,q^{12} - 6\,q^{10} - 7\,q^8 - 9\,q^6 - 9\,q^4 - 8\,q^2 - 7 - 8\,q^{-2} - 9\,q^{-4} - 9\,q^{-6} - 7\,q^{-8} - 6\,q^{-10} - 6\,q^{-12} - 6\,q^{-14} - 5\,q^{-16} - 3\,q^{-18} - q^{-20}$$

$$u_9^7 = q^{18} + 4\,q^{16} + 10\,q^{14} + 18\,q^{12} + 25\,q^{10} + 31\,q^8 + 37\,q^6 + 44\,q^4 + 50\,q^2 + 53 + 50\,q^{-2} + 44\,q^{-4} + 37\,q^{-6} + 31\,q^{-8} + 25\,q^{-10} + 18\,q^{-12} + 10\,q^{-14} + 4\,q^{-16} + q^{-18}$$

$$u_9^8 = -q^{14} - q^{12} - 2\,q^{10} - 2\,q^6 - 2\,q^4 - 2\,q^2 - 2 - 2\,q^{-2} - 2\,q^{-4} - 2\,q^{-6} - 2\,q^{-10} - q^{-12} - q^{-14}$$

$$u_9^9 = 845 + q^{26} + 18\,q^{22} + 47\,q^{20} + 164\,q^{-16} + 577\,q^{-8} + 47\,q^{-20} + q^{-26} + 5\,q^{24} + 577\,q^8 + 828\,q^{-2} + 828\,q^2 + 18\,q^{-22} + 248\,q^{14} + 346\,q^{12} + 96\,q^{18} + 458\,q^{10} + 164\,q^{16} + 5\,q^{-24} + 96\,q^{-18} + 248\,q^{-14} + 346\,q^{-12} + 458\,q^{-10} + 688\,q^6 + 688\,q^{-6} + 775\,q^4 + 775\,q^{-4}$$

$$u_9^{10} = -q^8 - q^6 - 2\,q^4 - q^2 - q^{-2} - 2\,q^{-4} - q^{-6} - q^{-8}$$

$$u_{10}^2 = q^{16} + 2\,q^{14} + 2\,q^{12} + 4\,q^{10} + 6\,q^8 + 7\,q^6 + 7\,q^4 + 8\,q^2 + 8 + 8\,q^{-2} + 7\,q^{-4} + 7\,q^{-6} + 6\,q^{-8} + 4\,q^{-10} + 2\,q^{-12} + 2\,q^{-14} + q^{-16}$$

$$u_{10}^3 = -q^6 + q^2 - 1 + q^{-2} - q^{-6}$$

$$u_{10}^4 = q^{22} + q^{20} - 2\,q^{16} - 5\,q^{14} - 9\,q^{12} - 15\,q^{10} - 22\,q^8 - 26\,q^6 - 30\,q^4 - 32\,q^2 - 32 - 32\,q^{-2} - 30\,q^{-4} - 26\,q^{-6} - 22\,q^{-8} - 15\,q^{-10} - 9\,q^{-12} - 5\,q^{-14} - 2\,q^{-16} + q^{-20} + q^{-22}$$

$$u_{10}^5 = q^8 + 2\,q^6 + q^4 + q^2 + 1 + q^{-2} + q^{-4} + 2\,q^{-6} + q^{-8}$$

$$u_{10}^6 = -q^6 + q^2 + 1 + q^{-2} - q^{-6}$$

$$u_{10}^8 = -q^{14} - q^{12} - 2\,q^{10} - 2\,q^8 - 3\,q^6 - 3\,q^4 - 2\,q^2 - 3 - 2\,q^{-2} - 3\,q^{-4} - 3\,q^{-6} - 2\,q^{-8} - 2\,q^{-10} - q^{-12} - q^{-14}$$

$$u_{10}^9 = -q^8 - q^6 - 2\,q^4 - q^2 - q^{-2} - 2\,q^{-4} - q^{-6} - q^{-8}$$

$$u_{10}^{10} = -q^8 - q^4 - q^2 + 1 - q^{-2} - q^{-4} - q^{-8}$$

$$u_{11}^2 = q^{12} + q^6 + q^2 + 1 + q^{-2} + q^{-6} + q^{-12}$$

$$u_{11}^4 = -q^{16} - 2\,q^{14} - 4\,q^{12} - 5\,q^{10} - 6\,q^8 - 8\,q^6 - 9\,q^4 - 10\,q^2 - 11 - 10\,q^{-2} - 9\,q^{-4} - 8\,q^{-6} - 6\,q^{-8} - 5\,q^{-10} - 4\,q^{-12} - 2\,q^{-14} - q^{-16}$$

$$u_{11}^8 = q^{10} + q^8 + 2\,q^6 + 2\,q^4 + 2\,q^2 + 3 + 2\,q^{-2} + 2\,q^{-4} + 2\,q^{-6} + q^{-8} + q^{-10}$$

$$u_{12}^2 = -q^{16} - q^{14} - 2\,q^{12} - 3\,q^{10} - 4\,q^8 - 5\,q^6 - 5\,q^4 - 6\,q^2 - 5 - 6\,q^{-2} - 5\,q^{-4} - 5\,q^{-6} - 4\,q^{-8} - 3\,q^{-10} - 2\,q^{-12} - q^{-14} - q^{-16}$$

$$u_{12}^4 = q^{18} + 2\,q^{16} + 4\,q^{14} + 6\,q^{12} + 9\,q^{10} + 12\,q^8 + 14\,q^6 + 16\,q^4 + 17\,q^2 + 17 + 17\,q^{-2} + 16\,q^{-4} + 14\,q^{-6} + 12\,q^{-8} + 9\,q^{-10} + 6\,q^{-12} + 4\,q^{-14} + 2\,q^{-16} + q^{-18}$$

$$u_{12}^8 = -q^{14} - 2\,q^{12} - 3\,q^{10} - 4\,q^8 - 6\,q^6 - 7\,q^4 - 7\,q^2 - 7 - 7\,q^{-2} - 7\,q^{-4} - 6\,q^{-6} - 4\,q^{-8} - 3\,q^{-10} - 2\,q^{-12} - q^{-14}$$

$$u_1^1 = u_1^7 = u_1^{10} = u_1^{11} = u_6^1 = u_7^1 = u_{10}^1 = u_3^6 = u_3^8 = u_3^{11} = u_5^{12} = u_6^7 = u_6^{12} = u_7^3 = u_7^{10} = u_7^{11} = u_9^6 = u_9^{11} = u_{10}^7 = u_{10}^{11} = u_{11}^3 = u_{11}^7 = u_{11}^{12} = u_{12}^3 = u_{12}^6 = u_{12}^7 = u_{12}^9 = u_{12}^{10} = u_{12}^{11} = -1$$

$$u_7^{12} = u_{10}^{12} = u_{12}^{12} = u_1^{12} = u_{11}^{11} = u_6^{11} = u_{11}^6 = u_{11}^7 = u_{11}^{10} = u_7^6 = u_3^{10} = u_7^5 = u_9^{12} = u_{11}^5 = u_9^{11} = u_{12}^5 = 1, \qquad u_3^{12} = 0$$